


# HS-J4125L6主板


## 产品特性:

- 英特尔®赛扬®J4125 处理器
- 支持6\*USB(2\*USB2.0排针/4\*USB3.0接口)
- 支持6\*LAN(Intel I211,1Gbps/100Mbps/10Mbps以太网控制器)



## HS-J4125L6主板规格

<b>板型尺寸</b>	120mm*120mm
<b>处理器</b>	英特尔® 赛扬® J4125 处理器
<b>内存</b>	DDR4 upto 2400 MT/s
<b>BIOS</b>	AMIBIOS 64Mbit 闪存
<b>内置I/O接口</b>	1*Front panel排针 1*JSATA供电接口 1*SATA数据接口 2*DDR4插槽 1*CPU_FAN排针 1*JCMOS排针 2*USB2.0排针
<b>外置I/O接口</b>	4*USB3.0接口 1*TJ45COM1接口 1*HDMI接口 6*LAN口 1*DC 12V接口
<b>集成网卡</b>	6*Intel I211,1Gbps/100Mbps/10Mbps以太网控制器
<b>扩展槽/口</b>	1*MINI PCIE(WiFi)插槽/1*MINI PCIE(MSATA)插槽
<b>操作系统</b>	win10/win11, Linux



1	Front panel排针
2	MINI PCIE(WiFi)插槽
3	SATA数据接口
4	JSATA供电接口
5	FUSB2.0排针
6	DC 12V接口
7	LAN口
8	LED指示灯
9	DDR4内存槽
10	CPU_FAN排针
11	JCMOS排针
12	MINI PCIE(MSATA)插槽
13	USB3.0接口
14	TJ45COM1接口
15	USB3.0接口
16	HDMI接口
17	电源键
18	RST开关

# HS-J4125L6主板定义

## (1) Front panel排针

Location	Pin	Definition	Pin	Definition
FP1 (2.54mm)	1	3.3V	2	Power LED
	3	Hard Disk Drive LED	4	GND
	5	Reset Switch	6	Power Switch
	7	GND	8	GND
	9	NC		

## (4) SATAPWR供电接口

Location	Pin	Definition
SATAPWR	1	+V5S
	2	GND
	3	GND
	4	+12V

## (5) FUSB1排针

Location	Pin	Definition	Pin	Definition
FUSB1 (2.54mm)	1	5V_RUN	2	5V_RUN
	3	USB_PN4	4	USB_PN5
	5	USB_PP4	6	USB_PP5
	7	GND	8	GND
	9	NC	10	GND

## (10) CPU\_FAN排针

Location	Pin	Definition
CPU_FAN1	1	GND
	2	+12V
	3	FAN_TAC
	4	FAN_CTL

## (11) JCMOS排针

Location	Pin	Definition
JCMOS1 (2.54mm)	1	GND
	2	RTCRST_N