


ZA-H77L6主板


产品特性:

- 第2/3代智能英特尔®酷睿™i3/i5/i7 赛扬®奔腾®处理器
- 支持4个USB(2*USB3.0接口/2*USB2.0排针)
- 支持6个LAN口(Intel I226,2.5Gbps/1Gbps/100Mbps/10Mbps以太网控制器)



ZA-H77L6主板规格

板型尺寸	230mm*213mm
处理器	第2/3代智能英特尔®酷睿™i3/i5/i7; 赛扬®奔腾®处理器
内存	支持2个DDR3-1333/1600 Mhz 最大支持16GB
BIOS	AMIBIOS 32Mbit 闪存
内置I/O接口	1*Front panel排针 2*SFAN1-2排针 1*SYS_FAN排针 4*SATA数据接口 4*JSATA供电接口 1*FUSB2排针(支持2个USB2.0接口) 1*VGA2排针 1*TSIM卡槽 1*JPS排针 1*8Pin电源插座 1*24Pin电源插座 1*CPU_FAN排针 1*LPC1排针 1*COM2排针 1*JPC1排针
外置I/O接口	6*LAN口 2*USB3.0接口 1*TJ45COM1接口
集成网卡	6*Intel I226,2.5Gbps/1Gbps/100Mbps/10Mbps以太网控制器
扩展槽/口	1*MINI PCIE插槽(MSATA) / 1*MINI PCIE插槽(WIFI) / 1*MINI PCIE插槽(4G) / 1*PCIEX8插槽
操作系统	Winxp\Win7\Win10\Linux



1	Front panel排针
2	PWON按钮
3	SFAN1排针
4	SYS_FAN排针
5	SATA数据接口
6	JSATA供电接口
7	FUSB2排针
8	VGA2排针
9	TSIM卡槽
10	MINI PCIE插槽(4G)
11	JPS排针
12	8Pin电源插座
13	PCIEX8插槽
14	24Pin电源插座
15	CPU_FAN排针
16	SFAN2排针
17	DDR3内存槽
18	MINI PCIE插槽(MSATA)
19	MINI PCIE插槽(WIFI)
20	LPC1排针
21	COM2排针
22	JPC1排针

23	TJ45COM1接口	25	LED指示灯
24	USB3.0接口	26	LAN口

ZA-H77L6主板定义

(1) Front panel排针

Location	Pin	Definition	Pin	Definition
FP1 (2.54mm)	1	HDD_LED+	2	POWER_LED+
	3	HDD_LED-	4	POWER_LED-
	5	Reset Switch	6	Power Switch
	7	GND	8	GND
	9	NC		

(4) SYS_FAN排针

Location	Pin	Definition
SYS_FAN	1	GND
	2	+12V
	3	FAN_TAC22
	4	FAN_CTL22

(7) FUSB2排针

Location	Pin	Definition	Pin	Definition
FUSB2 (2.54mm)	1	5V_RUN	2	5V_RUN
	3	USB_PN4	4	USB_PN5
	5	USB_PP4	6	USB_PP5
	7	GND	8	GND
	9	NC	10	GND

(15) CPU_FAN排针

Location	Pin	Definition
CPU_FAN1	1	GND
	2	+12V
	3	FAN_TAC
	4	FAN_CTL

(21) COM排针

Location	Pin	Definition	Pin	Definition
COM2 (2.54mm)	1	2DCD	2	2SIN
	3	2SOUT	4	2DTR
	5	GND	6	2DSR
	7	2RTS	8	2CTS
	9	2RI		

(22) JPC跳线

JPC	
1-2	NORMAL
2-3	VCC3
5-6	VCC5
7-8	12V