


ZA-R32_POS_V10 Motherboard


Product characteristics:

- RK3288 CPU
- Support 1*LAN (10M/100M/1000M LAN, WIFI BT(Support Wi-Fi 802.11b/g/n/ Support BT4.0)
- Support 1*LVDS/1*EDP/1*HDMI Displays the output



ZA-R32_POS_V10 Motherboard Specifications

Size	125mm*85mm
CPU	RK3288 CPU
RAM	DDR3 2GB
Emmc	16GB
Internal I/O	6*USB2.0 Pin(1-6) 1*TP interface(FPC6pin) 1*DC OUT1 Pin 1*LED1 Pin 1*BL_LCD1 Pin 1*LCDVCC_SEL1 Pin 1*LVDS Pin 1*EDP Pin 1*GPIO Pin 1*I2C Pin 1*IR_JACK1 Pin 1*UART1 Pin 2*RS232 Pin(1-2) 1*SPEAKER1 Pin 1*MIC_CON1 Pin
Rear I/O	1*DC 12V/3A interface 1*HDMI interface 1*USB_MIRC interface 1*TF Card slot 2*USB2.0 interface 1*AUDIO interface 1*LAN interface
LAN	1*10M/100M/1000M LAN
WIFI	WIFI BT(Support Wi-Fi 802.11b/g/n/ Support BT4.0)
Expansion slot	TF Card slot
Operating System	Android 7.1
Power supply	12V/3A



1	USB2.0 Pin(1-6)
2	TP interface
3	DC OUT1 Pin
4	LED1 Pin
5	BL_LCD1 Pin
6	LCDVCC_SEL1 Pin
7	LVDS Pin
8	EDP Pin
9	GPIO Pin
10	I2C Pin
11	IR_JACK1 Pin
12	UART1 Pin
13	RS232 Pin(1-2)
14	SPEAKER1 Pin
15	MIC_CON1 Pin
16	DC 12V/3A interface
17	UPDATE_KEY Button
18	HDMI interface
19	USB_MIRC interface
20	TF Card slot
21	USB2.0 interface
22	AUDIO interface
23	USB2.0 interface
24	LAN interface